

Fluconazol

28 d-11 d: 3-12 mg/día

C. 24 h

12-17 a y Ad. 400 mg carga
y 200-400 mg/día

Cap. 50, 100, 150, 200 mg

Cap. 100, 150, 200 mg

Polvo Susp. Oral 200
mg/5ml

Susp oral 50 mg/5ml



Corticoides Sistemicos

Metilprednisolona

1-2 mg/kg/dia

C. 8-12-24h

Ad: 20-40 mg/dia

hasta 7250 mg/dia

lny. 8, 20, 40, 250 mg

lny. 20 y 40 mg

Comp. 4, 16, 40 mg

lny. 40, 125, 500 mg, 1g.

Prednisolona, esteaglato


1-2 mg/kg/dia

C. 6-8-12-24-48 h.

40 Got./ml

(6-12 Got./kg/dia)

6 Got = 7 mg Prednisolona
= 0,15 ml.



Prednisona



1-2 mg/kg/dia

Comp. 2,5, 5, 10, 30 mg

C. 8-12-24-48h

Deflazacort

0,25 - 1,5 mg/kg/dia

Got. 7 mg/got

C. 12-24-48h

1 ml = 22,75 mg = 20 Got

Ad: 6-90 mg/dia

(7 Got/kg/dia)

Comp. 6430 mg.

Dexametasona

0,15, 0,30 mg/kg / dosis

Comp. 7,4,8 mg

Amp. 4,40 mg

Amp. 4 mg

7 mg/l, Sol. para 100 ml




Hidroxicina

1-2 mg/kg/día

C. 6-8 h

76 a y Ad: 50-100 mg/día



Segunda generacion

Megurazina

<40 Kg: 1,25 mg cada 10 Kg de peso Sol. 2,5 mg/Kg
(aprox. 0,25 mg/kg/día) Cap. 5 mg.

C. 12 h

740 Kg y Ad: 5 mg/dosis


Loratadina

< 30 Kg : 5 mg

> 30 Kg : 10 mg

C. 24

712 a y Ad: 10 mg/dia.



Cetirizina

2 a - 5 a : 2,5 - 5 mg/dia

6 a - 12 a : 5 - 10 mg/dia

C. 12-24 h

7 a y Ad : 10 mg

Got. (10 Got. = 5 mg)

Sol. 5 mg/5 ml

Comp. 10 mg



Levocetirina

2-6 a : 1,25 mg / 2 dosis
6-12 a : 5 mg / 2 dosis
7 12 a y Ad : 5 mg / dia.

Got. 5 mg/ml = 20 Got
Sol. 0,5/ml
Comp. 5 mg

Desloratadina

1-5 a : 1,25 mg
6-11 a : 2,5 mg
C. 24 h
7 12 a y Ad : 5 mg

Jar. 0,5 mg/ml
Comp recubiertos y
bucodispersables 5 mg.

