

REFERENCIAS BIBLIOGRAFICAS



ALUMNA: DIANA CITLALI CRUZ  
RIOS

MAESTRO: JORGE ALBORES  
AGUILAR

ASIGNATURA: CALCULO

CUARTO SEMESTRE,  
BACHILLERATO EN ENFERMERIA

# Funciones

DIANA CITLALI CROZ  
RIOS.

$$f(x) = 2x + 8$$

TABLA DE VALORES.

X	3	2	1	0	-1	-2	-3
f(x)	14	12	10	8	6	4	2

$$f(x) = 2x + 8$$

$$f(x) = 2x + 8$$

$$f(x) = 2x + 8$$

$$f(3) = 2(3) + 8$$
$$f(3) = 6 + 8$$
$$f(3) = 14$$

$$f(2) = 2(2) + 8$$
$$f(2) = 4 + 8$$
$$f(2) = 12$$

$$f(1) = 2(1) + 8$$
$$f(1) = 2 + 8$$
$$f(1) = 10$$

$$f(x) = 2x + 8$$

$$f(x) = 2(x) + 8$$

$$f(x) = 2(x) + 8$$

$$f(0) = 2(0) + 8$$
$$f(0) = 0 + 8$$
$$f(0) = 8$$

$$f(-1) = 2(-1) + 8$$
$$f(-1) = -2 + 8$$
$$f(-1) = 6$$

$$f(-2) = 2(-2) + 8$$
$$f(-2) = -4 + 8$$
$$f(-2) = 4$$

$$f(x) = 2x + 8$$

$$f(-3) = 2(-3) + 8$$
$$f(-3) = -6 + 8$$
$$f(-3) = 2$$

PAREJAS ORDENADAS

$$f(x) = \{(3, 14), (2, 12), (1, 10), (0, 8), (-1, 6), (-2, 4), (-3, 2)\}$$


$$f(x) = 2x + 8$$

Diana Citlali Cruz Rios.  
Bach. Enfermería general.

∴ PAREJAS ORDENADAS.

$$f(x) = \{(3, 14), (2, 12), (1, 10), (0, 8), (-1, 6), (-2, 4), (-3, 2)\}.$$

Y ▷ GRÁFICA ▷



Diana Atlali Cruz Rios.

$$f(x) = 4 - 8x$$

TABLA DE VALORES

X	3	2	1	0	-1	-2	-3
f(x)	-20	-12	-4	4	12	20	28

$$f(x) = 4 - 8x$$

$$f(x) = 4 - 8x$$

$$f(x) = 4 - 8x$$

$$f(3) = 4 - 8(3)$$

$$f(2) = 4 - 8(2)$$

$$f(x) = 4 - 8(1)$$

$$f(3) = 4 - 24$$

$$f(2) = 4 - 16$$

$$f(1) = 4 - 8$$

$$f(3) = -20$$

$$f(2) = -12$$

$$f(1) = -4$$

$$f(x) = 4 - 8x$$

$$f(x) = 4 - 8x$$

$$f(x) = 4 - 8x$$

$$f(0) = 4 - 8(0)$$

$$f(-1) = 4 - 8(-1)$$

$$f(-2) = 4 - 8(-2)$$

$$f(0) = 4 - 0$$

$$f(-1) = 4 + 8$$

$$f(-2) = 4 + 16$$

$$f(0) = 4$$

$$f(-1) = 12$$

$$f(-2) = 20$$

$$f(x) = 4 - 8x$$

$$f(-3) = 4 - 8(-3)$$

$$f(-3) = 4 + 24$$

$$f(-3) = 28$$

PAREJAS ORDENADAS.

$$f(x) = \{(3, -20), (2, -12), (1, -4), (0, 4), (-1, 12), (-2, 20), (-3, 28)\}$$


$$f(x) = 4 - 8x$$

Diana Atlali Cruz Rios.

BACH. Enfermería

PAREJAS ORDENADAS.

$$f(x) = \{(3, -20), (2, -12), (1, -4), (0, 4), (-1, 12), (-2, 20), (-3, 28)\}$$



$$f(x) = (x)^2 - 8$$

TABLA DE VALORES.

x	3	2	1	0	-1	-2	-3
f(x)	1	-4	-7	-8	-7	-4	1

$$f(x) = (x)^2 - 8$$

$$f(x) = (x)^2 - 8$$

$$f(x) = (x)^2 - 8$$

$$f(3) = (3)^2 - 8$$

$$f(2) = (2)^2 - 8$$

$$f(1) = (1)^2 - 8$$

$$f(3) = 9 - 8$$

$$f(2) = 4 - 8$$

$$f(1) = 1 - 8$$

$$f(3) = 1$$

$$f(2) = -4$$

$$f(1) = -7$$

$$f(x) = (x)^2 - 8$$

$$f(x) = (x)^2 - 8$$

$$f(x) = (x)^2 - 8$$

$$f(0) = (0)^2 - 8$$

$$f(-1) = (-1)^2 - 8$$

$$f(-2) = (-2)^2 - 8$$

$$f(0) = 0 - 8$$

$$f(-1) = 1 - 8$$

$$f(-2) = 4 - 8$$

$$f(0) = -8$$

$$f(-2) = -4$$

$$f(-3) = (-3)^2 - 8$$

$$f(-3) = 9 - 8$$

$$f(-3) = 1$$

PAREJAS ORDENADAS.

$$f(x) \{ (3, 1), (2, -4), (1, -7), (0, -8), (-1, -7), (-2, -4), (-3, 1) \}$$

$$f(x) = (x)^2 - 8$$

PAREJAS ORDENADAS

$$f(x) \{ (3, 1), (2, -4), (1, -7), (0, -8), (-1, -7), (-2, -4), (-3, 1) \}$$

DIANA CITLALI CAJZ RIOS.  
BACH. Enfermeria

GRÁFICA

